




































Firma/Enterprise/Ditta \_\_\_\_\_  
 Objekt/Objekt/Oggetto \_\_\_\_\_  
 Lieferant/Fournisseur/Fornitore \_\_\_\_\_  
 Bestell-Nr./No. Commande/Ordine-No. \_\_\_\_\_  
 Datum/Date/Data \_\_\_\_\_















**INSTAFLEX HMS**






**04-2022**

| Artikel-Nr.<br>No. d'article<br>Art. No.  | NPK-Nr.<br>No. CAN<br>CPN-No.   | Dimension<br>Dimension<br>Dimensione | m/Stk.<br>m/Pce.<br>m/Pz. | Artikel-Nr.<br>No. d'article<br>Art. No.  | NPK-Nr.<br>No. CAN<br>CPN-No.  | Dimension<br>Dimension<br>Dimensione | m/Stk.<br>m/Pce.<br>m/Pz. |
|---|---|--------------------------------------|---------------------------|---|--|--------------------------------------|---------------------------|
|     | PB-Rohr in Stangen<br>Tube PB en barres<br>Tubo PB in barre                           |                                      |                           |    | Winkel 90° Muffen-Stutzen<br>Coude 90° manchon-bout mâle<br>Gomito 90° maschio-femmina |                                      |                           |
| 760 856 606   | 411.211   | 16                                   |                           | 761 066 904   | 431.235  | 40                                   |                           |
| 760 856 607   | 411.212   | 20                                   |                           | 761 066 905   | 431.236  | 50                                   |                           |
| 760 856 608   | 411.213   | 25                                   |                           | 761 066 906   | 431.237  | 63                                   |                           |
| 760 856 609   | 411.214   | 32                                   |                           |   |  |                                      |                           |
| 760 856 610   | 411.215   | 40                                   |                           |   |  |                                      |                           |
| 760 856 611   | 411.216   | 50                                   |                           |    | Winkel 45°<br>Coude 45°<br>Gomito 45°  |                                      |                           |
| 760 856 612   | 411.217   | 63                                   |                           | 761 066 610   | 431.311  | 16                                   |                           |
| 760 856 613   | 411.218   | 75                                   |                           | 761 066 611   | 431.312  | 20                                   |                           |
| 760 856 614   | 411.221   | 90                                   |                           | 761 066 612   | 431.313  | 25                                   |                           |
| 760 856 615   | 411.222   | 110                                  |                           | 761 066 613   | 431.314  | 32                                   |                           |
|   |   |                                      |                           | 761 066 614   | 431.315  | 40                                   |                           |
|     | Tragschale Clip<br>Coque porteuse Clip<br>Canalina autoportante Clip                  |                                      |                           | 761 066 615   | 431.316  | 50                                   |                           |
| 760 856 602   | 411.411   | 16                                   |                           | 761 066 616   | 431.317  | 63                                   |                           |
| 760 856 603   | 411.412   | 20                                   |                           | 761 066 617   | 431.318  | 75                                   |                           |
| 760 856 604   | 411.413   | 25                                   |                           | 761 066 618   | 431.321  | 90                                   |                           |
| 760 856 605   | 411.414   | 32                                   |                           | 761 066 619   | 431.322  | 110                                  |                           |
|   |   |                                      |                           |   |  |                                      |                           |
|   | Tragschale<br>Coque porteuse<br>Canalina  |                                      |                           |  | Winkel 45° Muffen-Stutzen<br>Coude 45° manchon-bout mâl<br>Gomito 45° maschio-femmina  |                                      |                           |
| 760 854 928   | 411.415   | 40                                   |                           | 761 066 907   | 431.331  | 16                                   |                           |
| 760 854 929   | 411.416   | 50                                   |                           | 761 066 908   | 431.332  | 20                                   |                           |
| 760 854 930   | 411.417   | 63                                   |                           | 761 066 909   | 431.333  | 26                                   |                           |
| 760 854 985   | 411.418   | 75                                   |                           | 761 066 910   | 431.334  | 32                                   |                           |
|   |   |                                      |                           | 761 066 911   | 431.335  | 40                                   |                           |
|   |   |                                      |                           | 761 066 912   | 431.336  | 50                                   |                           |
|   |   |                                      |                           | 761 066 913   | 431.337  | 63                                   |                           |
|   | Rohrbinder<br>Attache plastique<br>Fascetta   |                                      |                           |  | T-Stück 90° egal<br>Té 90° égal<br>T 90° uguale  |                                      |                           |
| 760 853 283   | 411.711   | 16 - 40                              |                           | 761 066 620   | 432.111  | 16                                   |                           |
| 760 853 284   | 411.712   | 50 - 75                              |                           | 761 066 621   | 432.112  | 20                                   |                           |
| 760 854 984   | 411.713   | 90 - 110                             |                           | 761 066 622   | 432.113  | 26                                   |                           |
|   |   |                                      |                           | 761 066 623   | 432.114  | 32                                   |                           |
|  | Winkel 90°<br>Coude 90°<br>Gomito 90°   |                                      |                           | 761 066 624   | 432.115  | 40                                   |                           |
| 761 066 600   | 431.211   | 16                                   |                           | 761 066 625   | 432.116  | 50                                   |                           |
| 761 066 601   | 431.212   | 20                                   |                           | 761 066 626   | 432.117  | 63                                   |                           |
| 761 066 602   | 431.213   | 25                                   |                           | 761 066 627   | 432.118  | 75                                   |                           |
| 761 066 603   | 431.214   | 32                                   |                           | 761 066 628   | 432.121  | 90                                   |                           |
| 761 066 604   | 431.215   | 40                                   |                           | 761 066 629   | 432.122  | 110                                  |                           |
| 761 066 605   | 431.216   | 50                                   |                           |   |  |                                      |                           |
| 761 066 606   | 431.217   | 63                                   |                           |  | T-Stück 90° reduziert<br>Té 90° réduit<br>T 90° ridotto                                |                                      |                           |
| 761 066 607   | 431.218   | 75                                   |                           | 761 066 914   | 432.132  | 20x16x16                             |                           |
| 761 066 608   | 431.221   | 90                                   |                           | 761 066 915   |  | 20x16x20                             |                           |
| 761 066 609   | 431.222   | 110                                  |                           | 761 066 916   |  | 20x20x16                             |                           |
|   |   |                                      |                           | 761 066 917   | 432.133  | 25x16x25                             |                           |
|  | Winkel 90° Muffen-Stutzen<br>Coude 90° manchon-bout mâl<br>Gomito 90° maschio-femmina |                                      |                           | 761 066 919   |  | 25x20x20                             |                           |
| 761 066 900   | 431.231   | 16                                   |                           | 761 066 918   |  | 25x20x25                             |                           |
| 761 066 901   | 431.232   | 20                                   |                           | 761 066 920   |  | 25x25x20                             |                           |
| 761 066 902   | 431.233   | 26                                   |                           | 761 066 921   | 432.134  | 32x16x32                             |                           |
| 761 066 903   | 431.234   | 32                                   |                           | 761 066 922   |  | 32x20x32                             |                           |

| Artikel-Nr.<br>No. d'article<br>Art. No.  | NPK-Nr.<br>No. CAN<br>CPN-No.                           | Dimension<br>Dimension<br>Dimensione | m/Stk.<br>m/Pce.<br>m/Pz. | Artikel-Nr.<br>No. d'article<br>Art. No.  | NPK-Nr.<br>No. CAN<br>CPN-No.   | Dimension<br>Dimension<br>Dimensione | m/Stk.<br>m/Pce.<br>m/Pz. |
|---|---|--------------------------------------|---------------------------|---|---|--------------------------------------|---------------------------|
|    | T-Stück 90° reduziert<br>Té 90° réduit<br>T 90° ridotto |                                      |                           |    | Endkappe<br>Bouchon femelle<br>Calotta  |                                      |                           |
| 761 066 923   |   | 32x25x32                             |                           | 761 066 650   | 436.111   | 16                                   |                           |
| 761 066 295   |   | 40x16x40                             |                           | 761 066 651   | 436.112   | 20                                   |                           |
| 761 066 924   | 432.135   | 40x25x40                             |                           | 761 066 652   | 436.113   | 25                                   |                           |
| 761 068 049   |   | 40x32x40                             |                           | 761 066 653   | 436.114   | 32                                   |                           |
| 761 066 309   |   | 50x16x50                             |                           | 761 066 654   | 436.115   | 40                                   |                           |
| 761 066 925   | 432.136   | 50x25x50                             |                           | 761 066 655   | 436.116   | 50                                   |                           |
| 761 068 050   |   | 50x32x50                             |                           | 761 066 656   | 436.117   | 63                                   |                           |
| 761 066 310   |   | 63x16x63                             |                           |   |   |                                      |                           |
| 761 066 926   | 432.137   | 63x25x63                             |                           |    | Stopfen<br>Bouchon<br>Tappo   |                                      |                           |
| 761 068 051   |   | 63x32x63                             |                           | 761 066 938   | 436.213   | 25                                   |                           |
|    | Kreuzstück<br>Croix<br>Croce                            |                                      |                           |    | Übergangs-Modul mit Innengewinde<br>Pièce intermédiaire avec filetage femelle<br>Raccordo di transizione, filettatura femmina |                                      |                           |
| 761 068 066   |   | 40                                   |                           | 760 857 019   | 332.111   | 16x1/2"                              |                           |
| 761 068 067   |   | 50                                   |                           | 760 857 020   | 332.121   | 16x3/4"                              |                           |
| 761 068 068   |   | 63                                   |                           | 760 857 021   | 332.112   | 20x1/2"                              |                           |
|   |   |                                      |                           | 760 857 022   | 332.122   | 20x3/4"                              |                           |
|    | Muffe<br>Manchon<br>Manicotto                           |                                      |                           |    | Übergangs-Modul mit Innengewinde<br>Pièce intermédiaire avec filetage femelle<br>Raccordo di transizione, filettatura femmina |                                      |                           |
| 761 066 660   | 434.111   | 16                                   |                           | 760 857 023   | 332.123   | 25x3/4"                              |                           |
| 761 066 661   | 434.112   | 20                                   |                           | 760 857 024   | 332.133   | 25x1"                                |                           |
| 761 066 662   | 434.113   | 25                                   |                           | 760 857 025   |   | 32x1"                                |                           |
| 761 066 663   | 434.114   | 32                                   |                           | 760 857 026   | 332.145   | 40x1 1/4"                            |                           |
| 761 066 664   | 434.115   | 40                                   |                           | 760 857 027   | 332.156   | 50x1 1/2"                            |                           |
| 761 066 665   | 434.116   | 50                                   |                           | 760 857 028   | 332.167   | 63x2"                                |                           |
| 761 066 666   | 434.117   | 63                                   |                           | 760 857 029   | 332.168   | 75x2 1/2"                            |                           |
| 761 066 667   | 434.118   | 75                                   |                           | 760 857 030   |   | 90x3"                                |                           |
| 761 066 668   | 434.121   | 90                                   |                           | 760 857 031   |   | 110x4"                               |                           |
| 761 066 669   | 434.122   | 110                                  |                           |  | Übergang mit Aussengewinde<br>Pièce intermédiaire avec filetage mâle<br>Raccordo di transizione, filettatura maschio          |                                      |                           |
|  | Übergang<br>Adaptateur<br>Raccordo di transizione       |                                      |                           | 760 857 032   | 332.111   | 16x1/2"                              |                           |
| 761 069 207   | 434.171   | 16                                   |                           | 760 857 033   | 332.121   | 16x3/4"                              |                           |
| 761 069 208   | 434.172   | 20                                   |                           | 760 857 034   | 332.112   | 20x1/2"                              |                           |
| 761 069 209   | 434.173   | 25                                   |                           | 760 857 035   | 332.122   | 20x3/4"                              |                           |
| 761 069 210   | 434.174   | 32                                   |                           |  | Übergang mit Aussengewinde<br>Pièce intermédiaire avec filetage mâle<br>Raccordo di transizione, filettatura maschio          |                                      |                           |
| 761 069 211   | 434.175   | 40                                   |                           | 760 857 036   | 332.123   | 25x3/4"                              |                           |
| 761 069 212   | 434.176   | 50                                   |                           | 760 857 037   | 332.133   | 25x1"                                |                           |
| 761 069 213   | 434.177   | 63                                   |                           | 760 857 038   | 332.134   | 32x1"                                |                           |
|  | Reduktion<br>Réduction<br>Riduzione                     |                                      |                           | 760 857 039   | 332.145   | 40x1 1/4"                            |                           |
| 761 066 670   | 434.312   | 20x16                                |                           | 760 857 040   | 332.156   | 50x1 1/2"                            |                           |
| 761 066 671   | 434.313   | 25x16                                |                           | 760 857 041   | 332.167   | 63x2"                                |                           |
| 761 066 672   |   | 25x20                                |                           | 760 857 042   | 332.168   | 75x2 1/2"                            |                           |
| 761 066 674   | 434.314   | 32x20                                |                           | 760 857 043   |   | 90x3"                                |                           |
| 761 066 675   |   | 32x25                                |                           | 760 857 044   |   | 110x4"                               |                           |
| 761 066 677   | 434.315   | 40x20                                |                           |  | Verschraubung Muffe-Muffe<br>Manchon union, manchon-manchon<br>Bocchettone femmina-femmina                                    |                                      |                           |
| 761 066 678   |   | 40x25                                |                           | 761 066 691   | 435.111   | 16                                   |                           |
| 761 066 679   |   | 40x32                                |                           | 761 066 692   | 435.112   | 20                                   |                           |
| 761 066 681   | 434.316   | 50x20                                |                           | 761 066 693   | 435.113   | 25                                   |                           |
| 761 066 682   |   | 50x25                                |                           | 761 066 694   | 435.114   | 32                                   |                           |
| 761 066 683   |   | 50x32                                |                           | 761 066 695   | 435.115   | 40                                   |                           |
| 761 066 684   |   | 50x40                                |                           | 761 066 696   | 435.116   | 50                                   |                           |
| 761 066 686   | 434.317   | 63x20                                |                           | 761 066 697   | 435.117   | 63                                   |                           |
| 761 066 687   |   | 63x25                                |                           |   |   |                                      |                           |
| 761 066 688   |   | 63x32                                |                           |   |   |                                      |                           |
| 761 066 689   |   | 63x40                                |                           |   |   |                                      |                           |
| 761 066 690   |   | 63x50                                |                           |   |   |                                      |                           |
| 761 066 742   | 434.318   | 75x63                                |                           |   |   |                                      |                           |
| 761 066 746   | 434.321   | 90x63                                |                           |   |   |                                      |                           |
| 761 066 745   |   | 90x75                                |                           |   |   |                                      |                           |
| 761 066 747   | 434.322   | 110x63                               |                           |   |   |                                      |                           |
| 761 066 749   |   | 110x75                               |                           |   |   |                                      |                           |
| 761 066 748   |   | 110x90                               |                           |   |   |                                      |                           |

| Artikel-Nr.<br>No. d'article<br>Art. No.  | NPK-Nr.<br>No. CAN<br>CPN-No.   | Dimension<br>Dimension<br>Dimensione | m/Stk.<br>m/Pce.<br>m/Pz. | Artikel-Nr.<br>No. d'article<br>Art. No.  | NPK-Nr.<br>No. CAN<br>CPN-No.  | Dimension<br>Dimension<br>Dimensione | m/Stk.<br>m/Pce.<br>m/Pz. |
|---|---|--------------------------------------|---------------------------|---|--|--------------------------------------|---------------------------|
|    | Übergangs-Verschraubung Muffe Aussengewinde<br>Manchon union de transition avec bout mâle et filet. mâle<br>Bocchettone femmina-filetto maschio |                                      |                           |    | Übergang-Innengewinde<br>Pièce intermédiaire-taraudage femelle<br>Raccordo di transizione-filetto femmina                                    |                                      |                           |
| 760 857 155   | 435.151   | 16x1/2"                              | _____                     | 761 069 675   | 445.521  | 16x1/2"                              | _____                     |
| 760 857 156   | 435.152   | 20x1/2"                              | _____                     | 761 069 676   | 445.522  | 20x1/2"                              | _____                     |
| 760 857 157   | 435.153   | 25x3/4"                              | _____                     | 761 069 677   | 445.522  | 20x3/4"                              | _____                     |
| 760 857 158   | 435.154   | 32x1"                                | _____                     | 761 069 678   | 445.523  | 25x3/4"                              | _____                     |
| 760 857 159   | 435.155   | 40x1 1/4"                            | _____                     | 761 069 679   | 445.523  | 25x1"                                | _____                     |
| 760 857 160   | 435.156   | 50x1 1/2"                            | _____                     | 761 069 680   | 445.524  | 32x1"                                | _____                     |
| 760 857 161   | 435.157   | 63x2"                                | _____                     | 761 069 681   | 445.525  | 40x1 1/4"                            | _____                     |
|   |   |                                      |                           | 761 069 682   | 445.526  | 50x1 1/2"                            | _____                     |
|   |   |                                      |                           | 761 069 683   | 445.527  | 63x2"                                | _____                     |
|    | Übergangs-Verschraubung Muffe-Innengewinde<br>Manchon union intermédiaire manchon-filetage femelle<br>Bocchettone femmina-filetto femmina       |                                      |                           |    | Edelstahl Übergänge-Innengewinde<br>Transition acier inoxydable-taraudage femelle<br>Transizioni acciaio inossidabile-filetto femmina        |                                      |                           |
| 760 857 162   | 435.131   | 16x1/2"                              | _____                     | 761 069 774   |  | 20x1/2"                              | _____                     |
| 760 857 163   | 435.132   | 20x1/2"                              | _____                     | 761 069 775   |  | 25x3/4"                              | _____                     |
| 760 857 164   | 435.133   | 25x3/4"                              | _____                     | 761 069 776   |  | 32x1"                                | _____                     |
| 760 857 165   | 435.134   | 32x1"                                | _____                     |   |  |                                      |                           |
| 760 857 166   | 435.135   | 40x1 1/4"                            | _____                     |   |  |                                      |                           |
| 760 857 167   | 435.136   | 50x1 1/2"                            | _____                     |   |  |                                      |                           |
| 760 857 168   | 435.137   | 63x2"                                | _____                     |   |  |                                      |                           |
|    | HWS Verschraubung mit Aussengewinde<br>Manchon union de transition<br>Bocchettone, filettatura femina   |                                      |                           |    | Edelstahl Übergänge-Pressende<br>Transition acier inoxydable-systèmes à sertir<br>Transizioni acciaio inossidabile-sistemi a pres.           |                                      |                           |
| 760 857 214   |   | 16x1/2"                              | _____                     | 761 069 784   |  | 40x35                                | _____                     |
| 760 857 215   |   | 20x1/2"                              | _____                     | 761 069 785   |  | 50x42                                | _____                     |
| 760 857 216   |   | 25x3/4"                              | _____                     | 761 069 786   |  | 63x54                                | _____                     |
| 760 857 217   |   | 32x1"                                | _____                     |   |  |                                      |                           |
| 760 857 218   |   | 40x1 1/4"                            | _____                     |   |  |                                      |                           |
| 760 857 219   |   | 50x1 1/2"                            | _____                     |   |  |                                      |                           |
| 760 857 220   |   | 63x2"                                | _____                     |   |  |                                      |                           |
|  | Übergang-Aussengewinde<br>Pièce intermédiaire-filetage mâle<br>Raccordo di transizione-filetto maschio  |                                      |                           |    | Übergang mit loser Mutter-flachdichtend<br>Pièce intermédia. écrou mobile-filetage mâle<br>Racc. di transizio. con dado liber-guarni. piatta |                                      |                           |
| 761 069 711   | 346.211   | 16x1/2"                              | _____                     | 761 069 684   | 445.541  | 16xG 3/4"                            | _____                     |
| 761 069 712   | 346.212   | 20x1/2"                              | _____                     | 761 069 685   | 445.542  | 20xG 3/4"                            | _____                     |
| 761 069 713   | 346.222   | 20x3/4"                              | _____                     | 761 069 686   | 445.542  | 20xG 1"                              | _____                     |
| 761 069 714   | 346.223   | 25x3/4"                              | _____                     | 761 069 687   | 445.543  | 25xG 3/4"                            | _____                     |
| 761 069 715   | 346.233   | 25x1"                                | _____                     | 761 069 688   | 445.543  | 25xG 1"                              | _____                     |
| 761 069 716   | 346.234   | 32x1"                                | _____                     | 761 069 689   | 445.543  | 25xG 1 1/4"                          | _____                     |
| 761 069 717   | 346.245   | 40x1 1/4"                            | _____                     | 761 069 690   | 445.544  | 32xG 1"                              | _____                     |
| 761 069 718   | 346.246   | 50x1 1/2"                            | _____                     | 761 069 691   | 445.544  | 32xG 1 1/4"                          | _____                     |
| 761 069 719   | 346.247   | 63x2"                                | _____                     | 761 069 692   | 445.544  | 32xG 1 1/2"                          | _____                     |
|   |   |                                      |                           | 761 069 693   | 445.545  | 40xG 1 1/4"                          | _____                     |
|   |   |                                      |                           | 761 069 694   | 445.545  | 40xG 1 1/2"                          | _____                     |
|   |   |                                      |                           | 761 069 695   | 445.545  | 40xG 2"                              | _____                     |
|   |   |                                      |                           | 761 069 696   | 445.546  | 50xG 1 3/4"                          | _____                     |
|   |   |                                      |                           | 761 069 697   | 445.546  | 50xG 2 1/4"                          | _____                     |
|   |   |                                      |                           | 761 069 698   | 445.547  | 63xG 2 3/8"                          | _____                     |
|   |   |                                      |                           | 761 069 699   | 445.547  | 63xG 2 3/4"                          | _____                     |
|  | Übergang-Aussengewinde<br>Pièce intermédiaire-filetage mâle<br>Raccordo di transizione-filetto maschio  |                                      |                           |  | Übergang mit loser Mutter-flachdichtend<br>Pièce intermédia. écrou mobile-filetage mâle<br>Racco. di transiz. con dado liber-guarni. piatta  |                                      |                           |
| 761 069 666   | 445.511   | 16x1/2"                              | _____                     | 761 069 720   |  | 16xG 3/4"                            | _____                     |
| 761 069 667   | 445.512   | 20x1/2"                              | _____                     | 761 069 721   |  | 20xG 3/4"                            | _____                     |
| 761 069 668   | 445.512   | 20x3/4"                              | _____                     | 761 069 722   |  | 20xG 1"                              | _____                     |
| 761 069 669   | 445.513   | 25x3/4"                              | _____                     | 761 069 723   |  | 25xG 3/4"                            | _____                     |
| 761 069 670   | 445.513   | 25x1"                                | _____                     | 761 069 724   |  | 25xG 1"                              | _____                     |
| 761 069 671   | 445.514   | 32x1"                                | _____                     | 761 069 725   |  | 25xG 1 1/4"                          | _____                     |
| 761 069 672   | 445.515   | 40x1 1/4"                            | _____                     | 761 069 726   |  | 32xG 1"                              | _____                     |
| 761 069 673   | 445.516   | 50x1 1/2"                            | _____                     | 761 069 727   |  | 32xG 1 1/4"                          | _____                     |
| 761 069 674   | 445.517   | 63x2"                                | _____                     | 761 069 728   |  | 32xG 1 1/2"                          | _____                     |
|   |   |                                      |                           | 761 069 729   |  | 40xG 1 1/4"                          | _____                     |
|   |   |                                      |                           | 761 069 730   |  | 40xG 1 1/2"                          | _____                     |
|   |   |                                      |                           | 761 069 731   |  | 40xG 2"                              | _____                     |
|   |   |                                      |                           | 761 069 732   |  | 50xG 1 3/4"                          | _____                     |
|   |   |                                      |                           | 761 069 733   |  | 50xG 2 1/4"                          | _____                     |
|   |   |                                      |                           | 761 069 734   |  | 63xG 2 3/8"                          | _____                     |
|   |   |                                      |                           | 761 069 735   |  | 63xG 2 3/4"                          | _____                     |
|  | Übergang-Innengewinde<br>Pièce intermédiaire-taraudage femelle<br>Raccordo di transizione-filetto femmina                                       |                                      |                           |  | Bundbuchse flach<br>Collet plat<br>Cartella per flangia sede piana   |                                      |                           |
| 761 069 702   | 346.251   | 16x1/2"                              | _____                     | 763 066 631   | 435.332  | 20                                   | _____                     |
| 761 069 703   | 346.252   | 20x1/2"                              | _____                     | 763 066 632   | 435.333  | 25                                   | _____                     |
| 761 069 704   | 346.262   | 20x3/4"                              | _____                     |   |  |                                      |                           |
| 761 069 705   | 346.263   | 25x3/4"                              | _____                     |   |  |                                      |                           |
| 761 069 706   | 346.263   | 25x1"                                | _____                     |   |  |                                      |                           |
| 761 069 707   | 346.264   | 32x1"                                | _____                     |   |  |                                      |                           |
| 761 069 708   | 346.265   | 40x1 1/4"                            | _____                     |   |  |                                      |                           |
| 761 069 709   | 346.266   | 50x1 1/2"                            | _____                     |   |  |                                      |                           |
| 761 069 710   | 346.267   | 63x2"                                | _____                     |   |  |                                      |                           |

| Artikel-Nr.<br>No. d'article<br>Art. No.  | NPK-Nr.<br>No. CAN<br>CPN-No.   | Dimension<br>Dimension<br>Dimensione | m/Stk.<br>m/Pce.<br>m/Pz. | Artikel-Nr.<br>No. d'article<br>Art. No.  | NPK-Nr.<br>No. CAN<br>CPN-No.   | Dimension<br>Dimension<br>Dimensione | m/Stk.<br>m/Pce.<br>m/Pz. |
|---|---|--------------------------------------|---------------------------|---|---|--------------------------------------|---------------------------|
|    | Bundbuchse flach<br>Collet plat<br>Cartella per flangia sede piana  |                                      |                           |    | Lose Flansche PN 16 IPP<br>Bride tournante PN 16 IPP<br>Flangia libera PN 16 IPP  |                                      |                           |
| 763 066 633   | 435.334   | 32                                   |                           | 761 065 274   | 447.116   | 50                                   |                           |
| 763 066 634   | 435.335   | 40                                   |                           | 761 065 275   | 447.117   | 63                                   |                           |
| 763 066 635   | 435.336   | 50                                   |                           | 761 065 276   | 447.118   | 75                                   |                           |
| 763 066 636   | 435.337   | 63                                   |                           | 761 065 277   | 447.121   | 90                                   |                           |
| 763 066 637   | 435.338   | 75                                   |                           | 761 065 278   | 447.122   | 110                                  |                           |
| 763 066 638   | 435.341   | 90                                   |                           |   |   |                                      |                           |
| 763 066 639   | 435.342   | 110                                  |                           |   |   |                                      |                           |
|    | Bundbuchse mit Nut<br>Collet avec rainure<br>Cartella a sede incava   |                                      |                           |    | Profil-Flanschdichtung, metrisch EPDM/FKM<br>Joints profilé. en EPDM/FKM métrique pour brid.<br>Guarnizione per flangia metrici EPDM/FKM  |                                      |                           |
| 761 066 640   |   | 16                                   |                           | 748 440 706   |   | 20                                   |                           |
| 764 066 641   | 435.352   | 20                                   |                           | 748 440 707   |   | 25                                   |                           |
| 764 066 642   | 435.353   | 25                                   |                           | 748 440 708   |   | 32                                   |                           |
| 764 066 643   | 435.354   | 32                                   |                           | 748 440 709   |   | 40                                   |                           |
| 764 066 644   | 435.355   | 40                                   |                           | 748 440 710   |   | 50                                   |                           |
| 764 066 645   | 435.356   | 50                                   |                           | 748 440 711   |   | 63                                   |                           |
| 764 066 646   | 435.357   | 63                                   |                           | 748 440 712   |   | 75                                   |                           |
| 764 066 647   | 435.358   | 75                                   |                           | 748 440 713   |   | 90                                   |                           |
| 764 066 648   | 435.361   | 90                                   |                           | 748 440 714   |   | 110                                  |                           |
| 764 066 649   | 435.362   | 110                                  |                           |   |   |                                      |                           |
|    | Bundbuchse mit Nut<br>Collet avec rainure<br>Cartella a sede incava   |                                      |                           |    | Ventil BTV 2-Muffenschweissen ohne Entleer.<br>Vanne d'arrêt PB<br>Valvola PB per la saldatura a bicchiere  |                                      |                           |
| 761 069 307   |   | 20                                   |                           | 761 070 304   | 481.712   | 20                                   |                           |
| 761 069 308   |   | 25                                   |                           | 761 070 305   | 481.713   | 25                                   |                           |
| 761 069 309   | 445.354   | 32                                   |                           | 761 070 306   | 481.714   | 32                                   |                           |
| 761 069 310   | 445.355   | 40                                   |                           | 761 070 307   | 481.715   | 40                                   |                           |
| 761 069 311   | 445.356   | 50                                   |                           | 761 070 308   | 781.716   | 50                                   |                           |
| 761 069 312   | 445.357   | 63                                   |                           | 761 070 309   | 481.717   | 63                                   |                           |
| 761 069 313   | 445.358   | 75                                   |                           |   |   |                                      |                           |
| 761 069 314   | 445.361   | 90                                   |                           |   |   |                                      |                           |
| 761 069 315   | 445.362   | 110                                  |                           |   |   |                                      |                           |
|  | O-Ring, EPDM Trinkwasserqualität<br>Joint torique en EPDM, qualité pour eau potable<br>O-Ring in EPDM, modello per acqua potabile |                                      |                           |  | Ventil BTV -Muffenschweissen mit Entleer. 1/4"<br>Vanne d'arrêt PB av. bou. mâle po. vidan. 1/4"<br>Valvola PB con scarico 1/4"   |                                      |                           |
| 761 066 558   |   | 16                                   |                           | 761 070 310   | 481.752   | 20                                   |                           |
| 761 066 124   |   | 20                                   |                           | 761 070 311   | 481.753   | 25                                   |                           |
| 761 066 125   |   | 25                                   |                           | 761 070 312   | 481.754   | 32                                   |                           |
| 761 066 126   |   | 32                                   |                           | 761 070 313   | 481.755   | 40                                   |                           |
| 761 066 127   |   | 40                                   |                           | 761 070 314   | 481.756   | 50                                   |                           |
| 761 066 128   |   | 50                                   |                           | 761 070 315   | 481.757   | 63                                   |                           |
| 761 066 129   |   | 63                                   |                           |   |   |                                      |                           |
| 761 070 036   |   | 75                                   |                           |   |   |                                      |                           |
| 761 070 037   |   | 90                                   |                           |   |   |                                      |                           |
| 761 070 038   |   | 110                                  |                           |   |   |                                      |                           |
|  | Bundbuchse flach<br>Collet plat<br>Cartella a sede piana  |                                      |                           |  | Unterputzventil BTV 2 HMS<br>Vanne d'arrêt PB encastré<br>Valvola in PB da incasso  |                                      |                           |
| 761 069 321   |   | 20                                   |                           | 761 070 316   | 481.612   | 20                                   |                           |
| 761 069 322   |   | 25                                   |                           | 761 070 317   | 481.613   | 25                                   |                           |
| 761 069 323   | 445.334   | 32                                   |                           | 761 070 318   | 481.614   | 32                                   |                           |
| 761 069 324   | 445.335   | 40                                   |                           |   |   |                                      |                           |
| 761 069 325   | 445.336   | 50                                   |                           |   |   |                                      |                           |
| 761 069 326   | 445.337   | 63                                   |                           |   |   |                                      |                           |
| 761 069 327   | 445.338   | 75                                   |                           |   |   |                                      |                           |
| 761 069 328   | 445.341   | 90                                   |                           |   |   |                                      |                           |
| 761 069 329   | 445.342   | 110                                  |                           |   |   |                                      |                           |
|   | Lose Flansche PN 16 IPP<br>Bride tournante PN 16 IPP<br>Flangia libera PN 16 IPP  |                                      |                           |  | Venithalter für PB-Ventile ohne Entleerung<br>Support pour vanne PB sans vidange<br>Staffe per valvola in PB senza scarico  |                                      |                           |
| 761 065 270   | 447.112   | 20                                   |                           | 761 066 325   | 462.146   | 20-25                                |                           |
| 761 065 271   | 447.113   | 25                                   |                           |   |   |                                      |                           |
| 761 065 272   | 447.114   | 32                                   |                           |  | Entleerventil mit Stopfen 1/4"<br>Vanne de vidange avec bouchon 1/4"<br>Valvola di scarico con tappo 1/4"   |                                      |                           |
| 761 065 273   | 447.115   | 40                                   |                           | 761 066 328   | 481.651   | G 1/4"                               |                           |
|   |   |                                      |                           |  | Metall-Absperrklappe Typ 039G (mit Handget.)<br>Vanne papillon type 039G (avec comm. man.)<br>Valvola a farfalla tipo 039G (con volantino)<br>(Teller: Sphäroguss Rilsan beschichtet EPDM)<br>(Assiette: Fonte nodulai. Rilsan recou. EPDM)<br>(Piatto: Ghisa nodulare Rilsan rivestito EPDM) |                                      |                           |
|   |   |                                      |                           | 199 039 026   | 723.116   | 63                                   |                           |
|   |   |                                      |                           | 199 039 027   | 723.117   | 75                                   |                           |
|   |   |                                      |                           | 199 039 028   | 723.118   | 90                                   |                           |
|   |   |                                      |                           | 199 039 029   | 723.121   | 110                                  |                           |

| Artikel-Nr.<br>No. d'article<br>Art. No.  | NPK-Nr.<br>No. CAN<br>CPN-No.  | Dimension<br>Dimension<br>Dimensione | m/Stk.<br>m/Pce.<br>m/Pz. | Artikel-Nr.<br>No. d'article<br>Art. No. | NPK-Nr.<br>No. CAN<br>CPN-No. | Dimension<br>Dimension<br>Dimensione | m/Stk.<br>m/Pce.<br>m/Pz. |
|---|--|--------------------------------------|---------------------------|--|-------------------------------|--------------------------------------|---------------------------|
|    | Metall-Absperrklappe Typ 039G (mit Handgetriebe)<br>Vanne papillon type 039G (avec commande manuelle)<br>Valvola a farfalla tipo 039G (con volantino)<br>(Teller: rostfreier Stahl EPDM)<br>(Assiette: acier inoxydable EPDM)<br>(Piatto: acciaio inossidabile EPDM) |                                      |                           |  |                               |                                      |                           |
| 199 039 226   |  | 63                                   | _____                     |  |                               |                                      |                           |
| 199 039 227   |  | 75                                   | _____                     |  |                               |                                      |                           |
| 199 039 228   |  | 90                                   | _____                     |  |                               |                                      |                           |
| 199 039 229   |  | 110                                  | _____                     |  |                               |                                      |                           |
|    | Kugelhahn Typ 546 PP / PB-Stutzen<br>Robinet à bille type 546 PP / PB bout mâle<br>Valvola a sfera tipo 546 PP / Atta. maschio a sald. in PB   |                                      |                           |  |                               |                                      |                           |
| 760 000 343   | 481.112  | 20                                   | _____                     |  |                               |                                      |                           |
| 760 000 344   | 481.113  | 25                                   | _____                     |  |                               |                                      |                           |
| 760 000 345   | 481.114  | 32                                   | _____                     |  |                               |                                      |                           |
| 760 000 346   | 481.115  | 40                                   | _____                     |  |                               |                                      |                           |
| 760 000 347   | 481.116  | 50                                   | _____                     |  |                               |                                      |                           |
| 760 000 348   | 481.117  | 63                                   | _____                     |  |                               |                                      |                           |
|    | Kugelhahn Typ 546 PP / PB-Bundbuchsen<br>Robinet à bille type 546 PP / Collet PB<br>Valvola a sfera tipo 546 PP / colletto in PB   |                                      |                           |  |                               |                                      |                           |
| 760 000 337   |  | 20                                   | _____                     |  |                               |                                      |                           |
| 760 000 338   |  | 25                                   | _____                     |  |                               |                                      |                           |
| 760 000 339   |  | 32                                   | _____                     |  |                               |                                      |                           |
| 760 000 340   |  | 40                                   | _____                     |  |                               |                                      |                           |
| 760 000 341   |  | 50                                   | _____                     |  |                               |                                      |                           |
| 760 000 342   |  | 63                                   | _____                     |  |                               |                                      |                           |
|  | PB-Bundbuchse (passend zu Kugelhahn 546)<br>Collet PB (convient aux vannes à bille 546)<br>Cartelle PB ( transizione per valvola a sfera tipo 546)   |                                      |                           |  |                               |                                      |                           |
| 761 066 940   |  | 20                                   | _____                     |  |                               |                                      |                           |
| 761 066 941   |  | 25                                   | _____                     |  |                               |                                      |                           |
| 761 066 942   |  | 32                                   | _____                     |  |                               |                                      |                           |
| 761 066 943   |  | 40                                   | _____                     |  |                               |                                      |                           |
| 761 066 944   |  | 50                                   | _____                     |  |                               |                                      |                           |
| 761 066 945   |  | 63                                   | _____                     |  |                               |                                      |                           |
|   | Sprinkleranschluss-Box<br>Boîte de connexion<br>Scatola di connessione sprinkler   |                                      |                           |  |                               |                                      |                           |
| 761 068 053   |  | 1/2"                                 | _____                     |  |                               |                                      |                           |
| 761 068 052   |  | 1"                                   | _____                     |  |                               |                                      |                           |
|   |  |                                      |                           |  |                               |                                      |                           |
|   |  |                                      |                           |  |                               |                                      |                           |
|   |  |                                      |                           |  |                               |                                      |                           |
|   |  |                                      |                           |  |                               |                                      |                           |
|   |  |                                      |                           |  |                               |                                      |                           |