


GF Piping Systems

+GF+

PEcut 1200

The safest option


A single cutting tool fitting all big dimensions



PEcut 1200

Safety from every angle





Aware of the challenging conditions installers face, we are introducing into the market a new tool that is redefining the way that precise cuts are done. Saving time and costs on the overall installation by increasing the standards of safety, all in a flexible, compact, and light solution.

GF Piping Systems' new cutting tool has been developed in collaboration with TRUMPF, one of the global leaders in power tools for industrial and construction sectors, to provide a comprehensive solution for installing distribution and cooling systems (ELGEF Plus, ecoFIT- und COOL-FIT) in their most-demanded dimensions.

The mechanics of the saw unit (saw chain and blade) operate oil-free and thus prevents possible contamination in the subsequent welding zone. Due to the chosen design, large different wall thicknesses are covered with a single solution. The low weight and packing volume allows transport and operation by only 1 person.

1. Broad application

One tool to serve all pipe sizes: Covers all dimensions of pipes from d250 to 1200mm (10" – 46"), including wall thickness variation from 10mm to 180mm.

Reduced cost of ownership

Only 1 tool is required for the entire application range. This is a great advantage compared to other market solutions that require multiple tools to cover the same dimensional range.

2. Easy on-site handling

The lightweight of the components -less than 5 kg in total- facilitates positioning even in hard-to-reach places in the trench or roof-top.

Cordless

Battery-powered, so there are no cables near the saw unit during operation and the use is independent of direct power supply.

3. Extra Safety

The 2-handed start, the snap-on locking mechanism and additional safety sensors meet the highest safety requirements, which complement the radial guided radial around the pipe.

Reliable

Built up with high-quality components from renowned globally active manufacturers, ensuring the availability of worn parts and a long life span.

4. Precise

A guiding system with cross-dimensional tensioning belt fixes the saw unit at a 90° cutting angle and guides it precisely around the circumference of the pipe.

Local support around the world

Visit our webpage to get in touch with your local specialist:

www.gfps.com/our-locations



The information and technical data (altogether "Data") herein are not binding, unless explicitly confirmed in writing.
The Data neither constitutes any expressed, implied or warranted characteristics, nor guaranteed properties or a guaranteed durability. All Data is subject to modification. The General Terms and Conditions of Sale of Georg Fischer Piping Systems apply.