

Life Cycle Assessment for the iFIT system with polybuten pipes, metal- and plastic fittings


Taken from the TEPPFA LCA comparison
studies following the principles of ISO 14040
and ISO 14044



Polybutylene (PB) vs copper environmental impact comparison

An independent study following ISO 14040 and 14044 methodology by the respected Flemish institute for Technological Research (MITO), and validated by the Denkstatt sustainable development institute in Austria, is conclusive in its findings that systems made from Polybutylene for plumbing hot and cold solid wall applications have a lower environmental impact than those made from copper.

hot and cold plumbing



RELATIVE SIZE OF ENVIRONMENTAL FOOTPRINT

COPPER



POLYBUTYLENE



To make a fair comparison between these two different materials and determine the environmental impacts of both, each stage of their lifecycle was analysed.

“Environmental footprints” can be either adverse or beneficial. Adverse effects such as emitting greenhouse gases may arise in either the product’s production or disposal process; beneficial effects help to reduce greenhouse gas emissions by saving energy whilst the product is in use.

DETERMINING A PRODUCT’S ENVIRONMENTAL FOOTPRINT

A scientifically-based full Life Cycle Assessment (LCA) is the standardised method for fairly comparing the environmental impacts of different products or services. This type of assessment involves systematically collecting and evaluating quantitative data on the inputs and outputs of material, energy and waste flows associated with a product over its entire life cycle. Therefore a whole range of processes need to be assessed to calculate overall impacts, beginning with the manufacturing of raw materials, to transforming them into products; continuing through the product’s transportation and installation, the product’s lifetime of use, and ultimately, the product’s disposal or re-processing at the end of life.

The findings of LCA assessments are typically published in the forms of Environmental Product Declarations (EPDs) to help communicate a product's overall environmental impact. The VITO study involved collecting data on plastic pipe systems from companies covering more than 50% of the European market. Data for copper was based on publicly available information.

ENVIRONMENTAL IMPACT CRITERIA

The environmental impact of each pipe material was assessed against seven different criteria across its full life cycle.



'Abiotic-depletion' non-fossil: the over-extraction of minerals and other non-living, non-renewable materials that can lead to exhaustion of natural resource.



'Abiotic-depletion' fossil: The over-extraction of fossil fuels including all fossil resources.




'Acidification' potential: emissions, such as sulphur dioxide and nitrogen oxides, from manufacturing processes, result in acid rain which harms soil, water supplies, human and animal organisms, and the ecosystem.



'Eutrophication' potential: which arises from the over-fertilisation of water and soil by nutrients (such as nitrogen and phosphorous). This speeds up plant growth and kills off animal life in lakes and waterways.



'Global warming' potential (its carbon footprint): the insulating effect of greenhouse gases - CO₂ and methane - in the atmosphere is a major contributor to global warming, affecting both human health and that of the ecosystem in which we live.



'Ozone-depletion' potential: depletion of the ozone layer in the atmosphere caused by the emission of chemical foaming and cleaning agents allows the passage of greater levels of UV from the sun, causing skin cancer and reducing crop yields.



'Photochemical-oxidation' potential: where the photochemical reaction of sunlight with primary air pollutants such as volatile organic compounds and nitrogen oxides leads to chemical smogs that affect human health, food crops and the ecosystem in general.


COMPARISON BASED ON IDENTICAL FUNCTIONAL UNITS

For the purpose of a direct fair comparison between alternative materials the following identical functional unit was used in the LCA study for plumbing hot and cold solid wall systems:


- The pressure supply and transport of hot and cold drinking water from entrance of an apartment of 100m² to the tap.
- a 50 year lifetime has been assumed which aligns with the normal lifetime expectancy of a building

All rights, amongst which the copyright, on the materials described in this document rest with The European Plastics Pipes and Fittings Association ("TEPPFA"), Avenue de Cortenbergh, 71, B-1000 Brussels (Belgium). This document may not be reproduced or brought into circulation without the prior written consent of TEPPFA. Without prior permission in writing from TEPPFA this document may not be used, in whole or in part, for the lodging of claims, for conducting proceedings, for publicity and/or for the benefit or acquisition in a more general sense. Possible mistakes during the reproduction process of these promotion materials may not be attributed to TEPPFA.

COMPARISON OF PB TO COPPER FOR THE 6 ENVIRONMENTAL IMPACT CRITERIA



ENVIRONMENTAL PROFILE OF THE PB PIPE SYSTEM FOR HOT AND COLD WATER IN THE BUILDING FROM CRADLE-TO-GRAVE PER FUNCTIONAL UNIT



Note: Negative values shown represent energy recovery credits

ENVIROMENTAL PROFILE OF THE PB PIPE SYSTEM FOR HOT AND COLD WATER (CRADLE-TO-GRAVE) IN ABSOLUTE FIGURES PER FUNCTIONAL UNIT

IMPACT CATEGORY	Abiotic dep. (non fossil)	Abiotic dep. (fossil)	Acidification	Eutrophication	Climate Change	Ozone depletion	Photochemical oxidation
Life cycle phases	kg Sb eq	MJ, net cal	kg SO2 eq	kg PO4 - eq	kg CO2 eq	kg CFC-11 eq	kg C2H4
PRODUCT STAGE							
Production raw materials for PB-1 pipes	4.43E-08	9.55E+00	9.41E-04	8.92E-04	2.60E-01	8.07E-09	5.23E-05
Transportation of raw materials for pipes to converter	3.31E-08	1.69E-01	4.34E-05	8.87E-06	1.06E-02	1.81E-09	1.45E-06
Extrusion PB-1 pipes	1.12E-07	1.55E+00	3.53E-04	5.46E-05	7.99E-02	4.53E-09	1.58E-05
Production raw materials for PB-1 part fittings	4.88E-09	1.05E+00	1.04E-04	9.82E-06	2.87E-02	8.89E-10	5.76E-06
Transport of raw materials for PB-1 part fitting to converter	2.64E-09	1.35E-02	3.47E-06	7.09E-07	8.48E-04	1.44E-10	1.16E-07
Injection moulding PB-1 part fittings	2.68E-08	3.09E-01	8.06E-05	1.07E-05	1.72E-02	8.34E-10	3.35E-06
Production other plastic part fittings	4.36E-07	5.65E-01	1.09E-04	6.38E-05	2.57E-02	9.78E-09	3.07E-05
Production PVDF parts fittings	2.60E-07	1.82E+00	8.82E-04	5.04E-05	1.50E-01	1.35E-08	4.10E-05
Production PPSU parts fittings	4.13E-07	5.34E-01	1.03E-04	6.03E-05	2.43E-02	9.25E-09	2.90E-05
Production PA-GF parts fittings	3.12E-07	1.87E+00	5.33E-04	8.64E-05	1.22E-01	5.37E-11	2.41E-05
Production stainless steel inserts for fittings	1.42E-07	6.68E-02	2.27E-05	2.29E-06	4.08E-03	2.28E-10	1.36E-06
Production brass inserts for fittings	1.68E-05	1.23E+00	2.04E-03	8.76E-04	9.64E-02	7.38E-09	7.74E-05
Production alloy (heating wire) part fittings	3.80E-06	1.07E-01	4.69E-04	2.21E-04	7.29E-03	5.89E-10	1.75E-05
CONSTRUCTION PROCESS STAGE							
Transportation of complete PB-1 pipe system to building site	4.07E-08	2.27E-01	5.98E-05	1.18E-05	1.52E-02	2.29E-09	5.02E-06
Installation of PB-1 pipe system	1.36E-07	1.33E+00	3.01E-04	4.45E-05	1.02E-01	4.09E-09	3.51E-05
USE STAGE							
Operational use of PB-1 hot & cold system	0	0	0	0	0	0	0
Maintenance of PB-1 hot & cold system	0	0	0	0	0	0	0
END OF LIFE STAGE							
Disassembly of PB-1 pipe system	6.95E-08	2.42E-01	5.98E-05	1.20E-05	1.61E-02	2.52E-09	2.10E-06
Transport of PB-1 pipe system to EoL	-5.39E-08	-4.95E-01	-1.10E-04	-9.59E-06	4.92E-02	-1.43E-09	-5.65E-06
EoL treatment PB-1 pipe system							
Total	2.25E-05	2.01E+01	5.99E-03	1.59E-03	1.01E+00	6.46E-08	3.36E-04

A: contribution > 50%: most important, significant influence

B: 25% < contribution ≤ 50%: very important, relevant influence

B: 10% < contribution ≤ 25%: fairly important, some influence



The European Plastic Pipes and Fittings Association

Channelling Performance

The European Plastic Pipes and Fittings Association (TEPPFA) is the trade association representing manufacturers and national associations of plastic pipe systems in Europe. We are actively involved in the promotion of plastic pipe systems for all applications. We want to raise awareness of the value that plastic pipe systems offer for a sustainable future.

Registered office:
Avenue de Cortenbergh, 71
1000 Brussels
Belgium

tel: +32 2 736 24 06
fax: +32 2 736 58 82
e-mail: info@teppfa.eu

www.teppfa.eu

More detailed information about this material comparison can be obtained via www.teppfa.eu or by contacting TEPPFA at: info@teppfa.eu

Worldwide at home

Our sales companies and representatives ensure local customer service in over 100 countries.

www.gfps.com

Argentina / Southern South America

Georg Fischer Central Plastics Sudamérica S.R.L.
Buenos Aires / Argentina
Phone +54 11 4512 02 90
Fax +54 11 4512 02 93
gfcentral.ps.ar@georgfischer.com
www.gfps.com/ar

Australia

George Fischer Pty Ltd
Riverwood NSW 2210
Phone +61 (0) 2 9502 8000
Fax +61 (0) 2 9502 8090
australia.ps@georgfischer.com
www.gfps.com/au

Austria

Georg Fischer Rohrleitungssysteme GmbH
3130 Herzogenburg
Phone +43 (0) 2782 856 43 0
Fax +43 (0) 2782 856 64
austria.ps@georgfischer.com
www.gfps.com/at

Belgium / Luxembourg

Georg Fischer NV/SA
1600 Sint-Pieters-Leeuw / Belgium
Phone +32 (0) 2 556 40 20
Fax +32 (0) 2 524 34 26
be.ps@georgfischer.com
www.gfps.com/be

Brazil

Georg Fischer Sist. de Tub. Ltda.
04571-020 São Paulo/SP
Phone +55 (0) 11 5525 1311
br.ps@georgfischer.com
www.gfps.com/br

Canada

Georg Fischer Piping Systems Ltd
Mississauga, ON L5T 2B2
Phone +1 (905) 670 8005
Fax +1 (905) 670 8513
ca.ps@georgfischer.com
www.gfps.com/ca

China

Georg Fischer Piping Systems Ltd
201319 Shanghai
Phone +86 21 3899 3899
Fax +86 21 3899 3888
china.ps@georgfischer.com
www.gfps.com/cn

Denmark / Iceland

Georg Fischer A/S
2630 Taastrup / Denmark
Phone +45 (0) 7022 1975
Fax +45 (0) 7022 1976
info.dk.ps@georgfischer.com
www.gfps.com/dk

Finland

Georg Fischer AB
01510 Vantaa
Phone +358 (0) 9 586 58 25
Fax +358 (0) 9 586 58 29
info.fi.ps@georgfischer.com
www.gfps.com/fi

The technical data are not binding. They neither constitute expressly warranted characteristics nor guaranteed properties nor a guaranteed durability. They are subject to modification. Our General Terms of Sale apply.



France

Georg Fischer SAS
95932 Roissy Charles de Gaulle Cedex
Phone +33 (0) 1 41 84 68 84
Fax. +33 (0) 1 41 84 68 85
fr.ps@georgfischer.com
www.gfps.com/fr

Germany

Georg Fischer GmbH
73095 Albershausen
Phone +49 (0) 7161 302 0
Fax +49 (0) 7161 302 25 9
info.de.ps@georgfischer.com
www.gfps.com/de

India

Georg Fischer Piping Systems Pvt. Ltd.
400 076 Powai, Mumbai
Phone +91 22 4007 2000
Fax +91 22 4007 2020
branchoffice@georgfischer.com
www.gfps.com/in

Indonesia

PT Georg Fischer Indonesia
Karawang 41371, Jawa Barat
Phone +62 267 432 044
Fax +62 267 431 857
indonesia.ps@georgfischer.com
www.gfps.com/id

Italy

Georg Fischer S.p.A.
20864 Agrate Brianza (MB)
Phone +39 02 921 86 1
Fax +39 02 921 86 24 7
it.ps@georgfischer.com
www.gfps.com/it

Japan

Georg Fischer Ltd
530-0003 Osaka
Phone +81 (0) 6 6341 2451
jp.ps@georgfischer.com
www.gfps.com/jp

Korea

Georg Fischer Piping Systems
463-824 Seoul
Phone +82 31 8017 1450 3
Fax +82 31 8017 1454
kor.ps@georgfischer.com
www.gfps.com/kr

Malaysia

George Fischer (M) Sdn. Bhd.
41200 Klang, Selangor Darul Ehsan
Phone +60 (0) 3 3122 5585
Fax +60 (0) 3 3122 5575
my.ps@georgfischer.com
www.gfps.com/my

Mexico / Northern Latin America

Georg Fischer S.A. de C.V.
CP 66636 Apodaca, Nuevo Leon / Mexico
Phone +52 (81) 1340 8586
Fax +52 (81) 1522 8906
mx.ps@georgfischer.com
www.gfps.com/mx

Argentina / Southern South America

Georg Fischer Central Plastics Sudamérica S.R.L.
Buenos Aires / Argentina
Phone +54 11 4512 02 90
Fax +54 11 4512 02 93
gfcentral.ps.ar@georgfischer.com
www.gfps.com/ar

Australia

George Fischer Pty Ltd
Riverwood NSW 2210
Phone +61 (0) 2 9502 8000
Fax +61 (0) 2 9502 8090
australia.ps@georgfischer.com
www.gfps.com/au

Austria

Georg Fischer Rohrleitungssysteme GmbH
3130 Herzogenburg
Phone +43 (0) 2782 856 43 0
Fax +43 (0) 2782 856 64
austria.ps@georgfischer.com
www.gfps.com/at

Belgium / Luxembourg

Georg Fischer NV/SA
1600 Sint-Pieters-Leeuw / Belgium
Phone +32 (0) 2 556 40 20
Fax +32 (0) 2 524 34 26
be.ps@georgfischer.com
www.gfps.com/be

Brazil

Georg Fischer Sist. de Tub. Ltda.
04571-020 São Paulo/SP
Phone +55 (0) 11 5525 1311
br.ps@georgfischer.com
www.gfps.com/br

Canada

Georg Fischer Piping Systems Ltd
Mississauga, ON L5T 2B2
Phone +1 (905) 670 8005
Fax +1 (905) 670 8513
ca.ps@georgfischer.com
www.gfps.com/ca

China

Georg Fischer Piping Systems Ltd
201319 Shanghai
Phone +86 21 3899 3899
Fax +86 21 3899 3888
china.ps@georgfischer.com
www.gfps.com/cn

Denmark / Iceland

Georg Fischer A/S
2630 Taastrup / Denmark
Phone +45 (0) 7022 1975
Fax +45 (0) 7022 1976
info.dk.ps@georgfischer.com
www.gfps.com/dk

Finland

Georg Fischer AB
01510 Vantaa
Phone +358 (0) 9 586 58 25
Fax +358 (0) 9 586 58 29
info.fi.ps@georgfischer.com
www.gfps.com/fi

France

Georg Fischer SAS
95932 Roissy Charles de Gaulle Cedex
Phone +33 (0) 1 41 84 68 84
Fax. +33 (0) 1 41 84 68 85
fr.ps@georgfischer.com
www.gfps.com/fr

Germany

Georg Fischer GmbH
73095 Albershausen
Phone +49 (0) 7161 302 0
Fax +49 (0) 7161 302 25 9
info.de.ps@georgfischer.com
www.gfps.com/de

India

Georg Fischer Piping Systems Pvt. Ltd.
400 076 Powai, Mumbai
Phone +91 22 4007 2000
Fax +91 22 4007 2020
branchoffice@georgfischer.com
www.gfps.com/in

Indonesia

PT Georg Fischer Indonesia
Karawang 41371, Jawa Barat
Phone +62 267 432 044
Fax +62 267 431 857
indonesia.ps@georgfischer.com
www.gfps.com/id

Italy

Georg Fischer S.p.A.
20864 Agrate Brianza (MB)
Phone +39 02 921 86 1
Fax +39 02 921 86 24 7
it.ps@georgfischer.com
www.gfps.com/it

Japan

Georg Fischer Ltd
530-0003 Osaka
Phone +81 (0) 6 6341 2451
jp.ps@georgfischer.com
www.gfps.com/jp

Korea

Georg Fischer Piping Systems
463-824 Seoul
Phone +82 31 8017 1450 3
Fax +82 31 8017 1454
kor.ps@georgfischer.com
www.gfps.com/kr

Malaysia

George Fischer (M) Sdn. Bhd.
41200 Klang, Selangor Darul Ehsan
Phone +60 (0) 3 3122 5585
Fax +60 (0) 3 3122 5575
my.ps@georgfischer.com
www.gfps.com/my

Mexico / Northern Latin America

Georg Fischer S.A. de C.V.
CP 66636 Apodaca, Nuevo Leon / Mexico
Phone +52 (81) 1340 8586
Fax +52 (81) 1522 8906
mx.ps@georgfischer.com
www.gfps.com/mx

Middle East

Georg Fischer Piping Systems (Switzerland) Ltd
Dubai / United Arab Emirates
Phone +971 4 289 49 60

gfps-lca-polybuten-ifat
e / 02.21

© Georg Fischer JRG AG

Hauptstrasse 130

CH-4450 Sissach/Switzerland

Telefon +41 (0) 61 975 22 22

info.jrg.ps@georgfischer.com

Printed in Switzerland