

Contain-It™

Secondary Containment Piping System

- // Split pipe and fittings
- // Solid pipe





Contain-It™ secondary containment piping system

Easy and Reliable Secondary Containment Piping System

Contain-It™ benefits

- Split pipe and fittings
- Fits over virtually any carrier system
- Lightweight, easy to install
- Clear construction for visual leak detection
- Interlocking construction
- Engineered bonding media channels and flanges
- Pre-drilled bonding media injection ports
- Quick and easy fitting clips
- Predetermined fitting clip locators

Applications

The retrofit capability and chemical resistance of Contain-It make this an ideal choice for containment piping of chemical process lines.

When you combine the advantages of Contain-It with the complete line of thermoplastic piping systems from GF, you'll see that you can use "one source" for all your process and waste piping needs.

Environmental Protection Requirements

Federal, state and local regulations have been created to protect our environment from industrial pollution. Many of these regulations provide criminal penalties for owners, managers, and employees for environmental damage caused by chemical spills and leaks.

Industry has been assessed clean-up expenditures which far exceed the costs to install protective measures. When penalties and fines are added to the costs of cleaning up spills and leaks, it becomes obvious that industry has a legal and financial responsibility for protecting our environment. The Contain-It Secondary Containment System from GF Piping Systems provides the necessary environmental protection at a fraction of potential clean-up costs. The system includes many features which yield benefits to the owner, engineer and installer.

Split Pipe and Fittings

With pipe split along its length, the Contain-It piping system can be installed over virtually any carrier system. The carrier system can be tested without interference from the containment piping. Any leaks found during testing can be easily repaired. Leak detection cable can be installed as the split components are assembled, eliminating the need for time consuming cable pulling or the inclusion of lines to pull the cable. Containment piping can be retrofitted over plastic and metallic systems above and below ground, protecting employees, equipment and the environment. Split pipe and fittings are available in 3", 4" and 6".

Solid Pipe

Solid pipe may be combined with split fittings in installations which do not require retrofit capability or where it is preferred to pull a leak detection cable. Solid pipe is available in 3", 4" and 6".

Flexible Adapter

Flexible adapters allow connection to metal or chemical resistant plastic carrier systems other than PVC.

Centralizer

Centralizers center and support the carrier pipe. They are available for IPS, metric and CTS carrier pipes.





Pressure Rated

Although normal containment systems are not required to handle high pressures, the Contain-It system can be pressure tested via low pressure air or hydrostatically as defined in the chart below.

size	with air	with water	
		with flexible termination fittings or female adapter	with rigid termination fittings
3"	5 psi (0.3 bar)	5 psi (0.3 bar)	32 psi (2.2 bars)
4"	5 psi (0.3 bar)	5 psi (0.3 bar)	32 psi (2.2 bars)
6"	5 psi (0.3 bar)	5 psi (0.3 bar)	32 psi (2.2 bars)

Advantages vs. Competition

Contain-It requires fewer and less expensive tools than other containment piping systems. With Contain-It, there are no gaskets or hinges to align, which simplifies the installation procedures. Except for the common pipe preparation tools, all you'll need for Contain-It are the following:




- Fitting clips and hammer: we provide the clips to hold the fittings in place prior to bonding. The hammer is used to drive the clips into place.
- Pipe clamp: helps to snap the split pipe together
- Drill and counterbore drill bit: to drill crossover holes when using split pipe and additional injection ports when needed.
- Injection gun and mixing tips: to inject bonding adhesive



Injection Bonding System

The Injection Bonding System provides a controlled application of the bonding media, eliminating the mess usually associated with brush-applied resins and solvent cements. The bonding media is injected into the interlocking groove found on split pipe and interlocking channel found on split fittings to provide a leak-free seal.



Clear Polyvinyl Chloride Construction

The clear construction allows for total inspection of the annular space which, in above ground installations, may eliminate the need for expensive leak detection systems. Polyvinyl Chloride's chemical resistance, high tensile strength and good impact resistance provides a material that is suitable for a broad range of applications.

Specification for Contain-It

The secondary containment piping system shall be Contain-It, as manufactured by Georg Fischer Harvel LLC. The piping system shall consist of clear unpigmented Polyvinyl Chloride pipe and fittings. The pipe shall be either solid or longitudinally split. The fitting shall be manufactured in two equal halves. The pipe shall align via tongue and groove construction. The pipe and fitting joints shall be welded together via the Injection Bonding Process by GF Piping Systems. Prior to injection bonding, the fitting shall be held together by the clips provided. The clips shall be affixed over the integral fitting clip locators. Final containment inspection shall be accomplished via low pressure air or hydrostatic test per manufacturer's recommendations.



GF Piping Systems

Our sales companies and representatives ensure local customer support in over 100 countries.

Argentina / Southern South America
Georg Fischer Central Plastics
Sudamérica S.R.L.
Buenos Aires, Argentina
Phone +5411 4512 02 90
gfcentral.ps.ar@georgfischer.com

Australia
George Fischer Pty Ltd
Riverwood NSW 2210 Australia
Phone +61(0)2 9502 8000
australia.ps@georgfischer.com
www.georgfischer.com.au

Austria
Georg Fischer
Rohrleitungssysteme GmbH
3130 Herzogenburg
Phone +43(0)2782 856 43-0
austria.ps@georgfischer.com
www.georgfischer.at

Belgium / Luxembourg
Georg Fischer NV/SA
1070 Bruxelles/Brüssel
Phone +32(0)2 556 40 20
be.ps@georgfischer.com
www.georgfischer.be

Brazil
Georg Fischer Sist. de Tub. Ltda.
04795-100 São Paulo
Phone +55(0)11 5525 1311
br.ps@georgfischer.com
www.georgfischer.com.br

Canada
Georg Fischer Piping Systems Ltd
Mississauga, ON L5T 2B2
Phone +1(905)670 8005
Fax +1(905)670 8513
ca.ps@georgfischer.com
www.georgfischer.ca

China
Georg Fischer Piping Systems Ltd
Shanghai 201319
Phone +86(0)21 3899 3899
china.ps@georgfischer.com
www.georgfischer.cn

Denmark / Iceland
Georg Fischer A/S
2630 Taastrup
Phone +45 (0)70 22 19 75
info.dk.ps@georgfischer.com
www.georgfischer.dk

Finland
Georg Fischer AB
01510 VANTAA
Phone +358 (0)9 586 58 25
Fax +358 (0)9 586 58 29
info.fi.ps@georgfischer.com
www.georgfischer.fi

France
Georg Fischer SAS
95932 Roissy Charles de Gaulle Cedex
Phone +33(0)1 41 84 68 84
fr.ps@georgfischer.com
www.georgfischer.fr

Germany
Georg Fischer GmbH
73095 Albershausen
Phone +49(0)7161 302-0
info.de.ps@georgfischer.com
www.georgfischer.de

India
Georg Fischer Piping Systems Ltd
400 076 Mumbai
Phone +91 224007 2001
in.ps@georgfischer.com
www.georgfischer.in

Italy
Georg Fischer S.p.A.
20063 Cernusco S/N (MI)
Phone +3902 921 861
it.ps@georgfischer.com
www.georgfischer.it

Japan
Georg Fischer Ltd
556-0011 Osaka,
Phone +81(0)6 6635 2691
jp.ps@georgfischer.com
www.georgfischer.jp

Korea
Georg Fischer Piping Systems
271-3 Seohyeon-dong Bundang-gu
Seongnam-si, Gyeonggi-do
Seoul 463-824
Phone +82 31 8017 1450
Fax +82 31 8017 1454
kor.ps@georgfischer.com
www.georgfischer.kr

Malaysia
Georg Fischer (M) Sdn. Bhd.
40460 Shah Alam, Selangor Darul Ehsan
Phone +60 (0)3 5122 5585
my.ps@georgfischer.com
www.georgfischer.my

Mexico / Northern Latin America
Georg Fischer S.A. de C.V.
Apodaca, Nuevo Leon
CP66636 Mexico
Phone +52 (81)1 340 8586
Fax +52 (81)1 522 8906
mx.ps@georgfischer.com
www.georgfischer.mx

Middle East
Georg Fischer
Piping Systems (Switzerland) Ltd.
Dubai, United Arab Emirates
Phone +971 4 289 49 60
gcc.ps@georgfischer.com
www.export.georgfischer.com

Netherlands
Georg Fischer N.V.
8161 PA Epe
Phone +31(0)578 678 222
nl.ps@georgfischer.com
www.georgfischer.nl

New Zealand
Georg Fischer Ltd
13 Jupiter Grove, Upper Hutt 5018
PO Box 40399, Upper Hutt 5140
Phone +64(0)4 527 9813
nz.ps@georgfischer.com
www.gfps.com/nz

Norway
Georg Fischer AS
1351 Rud
Phone +47(0)67 18 29 00
no.ps@georgfischer.com
www.georgfischer.no

Poland
Georg Fischer Sp. z o.o.
05-090 Sekocin Nowy
Phone +48(0)22 31 31 0 50
poland.ps@georgfischer.com
www.georgfischer.pl

Romania
Georg Fischer
Piping Systems (Switzerland) Ltd.
020257 Bucharest - Sector 2
Phone +40(0)21 230 53 80
ro.ps@georgfischer.com
www.export.georgfischer.com

Russia
Georg Fischer
Piping Systems (Switzerland) Ltd.
Moscow 125047
Tel. +7 495 258 60 80
ru.ps@georgfischer.com
www.georgfischer.ru

Singapore
Georg Fischer Pte Ltd
11 Tampines Street 92, #04-01/07
528 872 Singapore
Phone +65 6747 0611
sgp.ps@georgfischer.com
www.sg.piping.georgfischer.com

Spain / Portugal
Georg Fischer S.A.
28046 Madrid
Phone +34(0)91 781 98 90
es.ps@georgfischer.com
www.georgfischer.es

Sweden
Georg Fischer AB
117 43 Stockholm
Phone +46(0)8 506 775 00
info.se.ps@georgfischer.com
www.georgfischer.se

Switzerland
Georg Fischer
Rohrleitungssysteme (Schweiz) AG
8201 Schaffhausen
Phone +41(0)52 631 30 26
ch.ps@georgfischer.com
www.piping.georgfischer.ch

Taiwan
Georg Fischer Co., Ltd.
San Chung Dist., New Taipei City
Phone +886 2 8512 2822
Fax +886 2 8512 2823
www.georgfischer.tw

United Kingdom / Ireland
Georg Fischer Sales Limited
Coventry, CV2 2ST
Phone +44(0)2476 535 535
uk.ps@georgfischer.com
www.georgfischer.co.uk

USA / Caribbean
Georg Fischer LLC
Irvine, CA 92618
Phone +1(714) 731 88 00
Toll Free 800 854 40 90
us.ps@georgfischer.com
www.gfpiping.com

Vietnam
George Fischer Pte Ltd
136E Tran Vu, Ba Dinh District, Hanoi
Phone +84 4 3715 3290
Fax +84 4 3715 3285

International
Georg Fischer
Piping Systems (Switzerland) Ltd.
8201 Schaffhausen/Switzerland
Phone +41(0)52 631 30 03
Fax +41(0)52 631 28 93
info.export@georgfischer.com
www.export.georgfischer.com

www.gfps.com

The technical data is not binding. They neither constitute expressly warranted characteristics nor guaranteed properties nor a guaranteed durability. They are subject to modification.
Our General Terms of Sale apply.

GF Piping Systems

Tel. (714) 731-8800, Toll Free (800) 854-4090, Fax (714) 731-6201
us.ps@georgfischer.com, www.gfpiping.com

